WHAT IS CLAIMED IS:

1. A shoe heel protector comprising:

a semi-rigid middle portion, wherein the middle portion substantially

covers a rear heel portion of a shoe and is permanently attached to the shoe;

a first side portion integrally formed with the middle portion, wherein

the first side portion partially covers a first side of the shoe; and

a second side portion integrally formed with the middle portion,

wherein the second side portion partially covers a second side of the shoe.

10

5

2. The shoe heel protector according to claim 1, wherein the first side portion

further comprises a first aperture and the second side portion further comprises a

second aperture, wherein the first aperture aligns with a first eyelet on a front of the

shoe and the second aperture aligns with a second eyelet on the front of the shoe.

15

3. The shoe heel protector according to claim 2, wherein a shoelace is laced

through the first aperture and the first eyelet, and the second aperture and the

second eyelet.

20 4. The shoe heel protector according to claim 1, wherein the middle portion

includes at least one horizontal ridge integrally formed in the middle portion.

Inventor: Michael O'Connor

Shoe Heel Protector

5. The shoe heel protector according to claim 1, further comprising a bottom

edge, wherein the bottom edge of the protector is secured to a welt in the shoe.

6. The shoe heel protector according to claim 5, wherein the bottom edge of the

protector is stitched to the welt.

7. The shoe heel protector according to claim 5, wherein the bottom edge of the

protector is adhesively bonded to the welt.

10 8. The shoe heel protector according to claim 1, wherein the shoe is an athletic

shoe.

5

9. The shoe heel protector according to claim 1, wherein the shoe is a workboot.

10. The shoe heel protector according to claim 1, wherein the shoe is a dress

shoe.

15

20

11. A shoe heel protector comprising:

a semi-rigid middle portion, wherein the middle portion substantially

covers a rear heel portion of a shoe and is permanently attached to the shoe along a

bottom edge of the middle portion;

Inventor: Michael O'Connor

Shoe Heel Protector

16

a first side portion integrally formed with the middle portion having at least one aperture formed therein, wherein the first side portion partially covers a first side of the shoe;

a second side portion integrally formed with the middle portion having

at least one aperture formed therein, wherein the second side portion partially

covers a second side of the shoe; and

wherein the at least one aperture formed in the first side portion and the at least one aperture formed in the second side portion each align with a corresponding eyelet on a front of the shoe.

- 10

12. The shoe heel protector according to claim 11, wherein a shoelace is laced through the at least one aperture formed in the first side portion and the corresponding eyelet, and the at least one aperture formed in the second side portion and the corresponding eyelet.

15

- 13. The shoe heel protector according to claim 11, wherein the middle portion includes at least one horizontal ridge integrally formed in the middle portion.
- 14. The shoe heel protector according to claim 1, wherein the bottom edge is secured to a welt in the shoe.

Inventor: Michael O'Connor

Shoe Heel Protector

- 15. The shoe heel protector according to claim 14, wherein the bottom edge of the protector is stitched to the welt.
- 16. The shoe heel protector according to claim 14, wherein the bottom edge ofthe protector is adhesively bonded to the welt.
 - 17. The shoe heel protector according to claim 11, wherein the shoe is an athletic shoe.
- 18. The shoe heel protector according to claim 11, wherein the shoe is a workboot.
 - 19. The shoe heel protector according to claim 11, wherein the shoe is a dress shoe.

20. A shoe heel protector comprising:

15

a semi-rigid middle portion, wherein the middle portion substantially covers a rear heel portion of a shoe and a bottom edge of the middle portion is secured to a welt in the shoe;

a first side portion integrally formed with the middle portion, wherein the first side portion partially covers a first side of the shoe;

18

Inventor: Michael O'Connor Shoe Heel Protector

a second side portion integrally formed with the middle portion, wherein the second side portion partially covers a second side of the shoe.